

BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 49 NOS. 1,2

CONTENTS

3 OCTOBER 1997

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement

v

Guidelines for the submission of manuscripts

vii

Research reports

- Mutations of transmembrane IV and V serines indicate that all tryptamines do not bind to the rat 5-HT_{2A} receptor in the same manner
M.P. Johnson, D.B. Wainscott, V.L. Lucaites, M. Baez and D.L. Nelson (USA) 1
- Murine vesicular monoamine transporter 2: molecular cloning and genomic structure
N. Takahashi and G. Uhl (USA) 7
- Protein serine/threonine phosphatase 1 and 2A associate with and dephosphorylate neurofilaments
S. Strack, R.S. Westphal, R.J. Colbran, F.F. Ebner and B.E. Wadzinski (USA) 15
- GABAergic neurotransmission in rat taste buds: immunocytochemical study for GABA and GABA transporter subtypes
H. Obata, K. Shimada, N. Sakai and N. Saito (Japan) 29
- Transcriptional induction of RC3/neurogranin by thyroid hormone: differential neuronal sensitivity is not correlated with thyroid hormone receptor distribution in the brain
A. Guadaño-Ferraz, M. José Escámez, B. Morte, P. Vargiu and J. Bernal (Spain) 37
- Neuronal nicotinic acetylcholine receptor in the hypothalamus: morphological diversity and neuroendocrine regulations
S. Shioda, S. Nakajo, T. Hirabayashi, H. Nakayama, K. Nakaya, K. Matsuda and Y. Nakai (Japan) 45
- Preproenkephalin mRNA expression in the caudate-putamen of MPTP monkeys after chronic treatment with the D₂ agonist U91356A in continuous or intermittent mode of administration: comparison with L-DOPA therapy
M. Morissette, M. Goulet, J.-J. Soghomonian, P.J. Blanchet, F. Calon, P.J. Bédard and T. Di Paolo (Canada) 55
- The glycine transporter GLYT2 is a reliable marker for glycine-immunoreactive neurons
I. Poyatos, J. Ponce, C. Aragón, C. Giménez and F. Zafra (Spain) 63
- Brain-derived neurotrophic factor is reduced in Alzheimer's disease
B. Connor, D. Young, Q. Yan, R.L.M. Faull, B. Synek and M. Dragunow (New Zealand, USA) 71
- Development of selective antibodies against the human somatostatin receptor subtypes sst₁-sst₅
L. Helboe, M. Møller, L. Nørregaard, M. Schiødt and C.E. Stidsen (Denmark) 82
- Characterization of glycine release mediated by glycine transporter 1 stably expressed in HEK-293 cells
K. Sakata, K. Sato, P. Schloss, H. Betz, S. Shimada and M. Tohyama (Japan, Germany) 89
- Serotonin, dopamine and norepinephrine transporter mRNAs: heterogeneity of distribution and response to 'binge' cocaine administration
S.A. Burchett and M.J. Bannon (USA) 95
- Reversible ischemia increases levels of Alzheimer amyloid protein precursor without increasing levels of mRNA in the rabbit spinal cord
N. Komori, A. Kittel, D. Kang, D. Shackelford, E. Masliyah, J.A. Zivin and T. Saitoh (USA) 103
- Tellurium causes dose-dependent coordinate down-regulation of myelin gene expression
A.D. Toews, E.B. Roe, J.F. Goodrum, T.W. Bouldin, J. Weaver, N.D. Goines and P. Morell (USA) 113
- High-affinity binding sites for ¹²⁵I-labelled pancreatic secretory phospholipase A₂ in rat brain
K.K. Dev, C. Foged, H. Andersen, T. Honoré and J.M. Henley (UK, Denmark, Switzerland) 120
- The effect of L-deprenyl, D-deprenyl and MDL72974 on mitochondrial respiration: a possible mechanism leading to an adaptive increase in superoxide dismutase activity
C. Thiffault, R. Quirion and J. Poirier (Canada) 127
- Expression of dopamine transporter and vesicular monoamine transporter 2 mRNAs in rat midbrain after repeated amphetamine administration
W. Lu and M.E. Wolf (USA) 137
- In situ hybridization analysis of preprotachykinin-A and -B mRNA levels in short-term sodium depletion
P. Pompei, L.R. Lucas, S. Angeletti, M. Massi and B.S. McEwen (Italy, USA) 149
- Variations in levels of substance P-encoding β-, γ-preprotachykinin and substance P receptor NK-1 transcripts in the rat hypothalamus throughout the estrous cycle: a correlation between amounts of β-preprotachykinin and NK-1 mRNA
A. Gautreau, P. Duval and B. Kerdellhué (France) 157
- Transcriptional activation of human choline acetyltransferase by AP2- and NGF-induced factors
C. Quirin-Stricker, C. Mauvais and M. Schmitt (France) 165

(contents continued on p. 314)



0169-328X(19971003)49:1/2;1-5

BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 49 NOS. 1,2

CONTENTS

3 OCTOBER 1997

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement

v

Guidelines for the submission of manuscripts

vii

Research reports

- Mutations of transmembrane IV and V serines indicate that all tryptamines do not bind to the rat 5-HT_{2A} receptor in the same manner
M.P. Johnson, D.B. Wainscott, V.L. Lucaites, M. Baez and D.L. Nelson (USA) 1
- Murine vesicular monoamine transporter 2: molecular cloning and genomic structure
N. Takahashi and G. Uhl (USA) 7
- Protein serine/threonine phosphatase 1 and 2A associate with and dephosphorylate neurofilaments
S. Strack, R.S. Westphal, R.J. Colbran, F.F. Ebner and B.E. Wadzinski (USA) 15
- GABAergic neurotransmission in rat taste buds: immunocytochemical study for GABA and GABA transporter subtypes
H. Obata, K. Shimada, N. Sakai and N. Saito (Japan) 29
- Transcriptional induction of RC3/neurogranin by thyroid hormone: differential neuronal sensitivity is not correlated with thyroid hormone receptor distribution in the brain
A. Guadaño-Ferraz, M. José Escámez, B. Morte, P. Vargiu and J. Bernal (Spain) 37
- Neuronal nicotinic acetylcholine receptor in the hypothalamus: morphological diversity and neuroendocrine regulations
S. Shioda, S. Nakajo, T. Hirabayashi, H. Nakayama, K. Nakaya, K. Matsuda and Y. Nakai (Japan) 45
- Preproenkephalin mRNA expression in the caudate-putamen of MPTP monkeys after chronic treatment with the D₂ agonist U91356A in continuous or intermittent mode of administration: comparison with L-DOPA therapy
M. Morissette, M. Goulet, J.-J. Soghomonian, P.J. Blanchet, F. Calon, P.J. Bédard and T. Di Paolo (Canada) 55
- The glycine transporter GLYT2 is a reliable marker for glycine-immunoreactive neurons
I. Poyatos, J. Ponce, C. Aragón, C. Giménez and F. Zafra (Spain) 63
- Brain-derived neurotrophic factor is reduced in Alzheimer's disease
B. Connor, D. Young, Q. Yan, R.L.M. Faull, B. Synek and M. Dragunow (New Zealand, USA) 71
- Development of selective antibodies against the human somatostatin receptor subtypes sst₁-sst₅
L. Helboe, M. Møller, L. Nørregaard, M. Schiødt and C.E. Stidsen (Denmark) 82
- Characterization of glycine release mediated by glycine transporter 1 stably expressed in HEK-293 cells
K. Sakata, K. Sato, P. Schloss, H. Betz, S. Shimada and M. Tohyama (Japan, Germany) 89
- Serotonin, dopamine and norepinephrine transporter mRNAs: heterogeneity of distribution and response to 'binge' cocaine administration
S.A. Burchett and M.J. Bannon (USA) 95
- Reversible ischemia increases levels of Alzheimer amyloid protein precursor without increasing levels of mRNA in the rabbit spinal cord
N. Komori, A. Kittel, D. Kang, D. Shackelford, E. Masliah, J.A. Zivin and T. Saitoh (USA) 103
- Tellurium causes dose-dependent coordinate down-regulation of myelin gene expression
A.D. Toews, E.B. Roe, J.F. Goodrum, T.W. Bouldin, J. Weaver, N.D. Goines and P. Morell (USA) 113
- High-affinity binding sites for ¹²⁵I-labelled pancreatic secretory phospholipase A₂ in rat brain
K.K. Dev, C. Foged, H. Andersen, T. Honoré and J.M. Henley (UK, Denmark, Switzerland) 120
- The effect of L-deprenyl, D-deprenyl and MDL72974 on mitochondrial respiration: a possible mechanism leading to an adaptive increase in superoxide dismutase activity
C. Thiffault, R. Quirion and J. Poirier (Canada) 127
- Expression of dopamine transporter and vesicular monoamine transporter 2 mRNAs in rat midbrain after repeated amphetamine administration
W. Lu and M.E. Wolf (USA) 137
- In situ hybridization analysis of preprotachykinin-A and -B mRNA levels in short-term sodium depletion
P. Pompei, L.R. Lucas, S. Angeletti, M. Massi and B.S. McEwen (Italy, USA) 149
- Variations in levels of substance P-encoding β -, γ -preprotachykinin and substance P receptor NK-1 transcripts in the rat hypothalamus throughout the estrous cycle: a correlation between amounts of β -preprotachykinin and NK-1 mRNA
A. Gautreau, P. Duval and B. Kerdellhué (France) 157
- Transcriptional activation of human choline acetyltransferase by AP2- and NGF-induced factors
C. Quirin-Stricker, C. Mauvais and M. Schmitt (France) 165

(contents continued on p. 314)



0169-328X(19971003)49:1/2;1-5

(contents continued)

The mouse calretinin gene promoter region: structural and functional components	
K.I. Strauss, J. Kuźnicki, L. Winsky, J.-I. Kawagoe, M. Hammer and D.M. Jacobowitz (USA)	175
Selective up-regulation of protein kinase C ϵ in granule cells after kainic acid-induced seizures in rat	
F. Guglielmetti, M. Rattray, S. Baldessari, E. Butelli, R. Samanin and C. Bendotti (Italy, UK)	188
Modulation of basal ganglia neurotransmission by the classical antipsychotic fluphenazine is due in part to the blockade of dopamine D ₁ -receptors	
H. Coirini, L. Källström, F.-A. Wiesel and A.E. Johnson (Argentina, Sweden)	197
Leech egg-laying-like hormone: structure, neuronal distribution and phylogeny	
M. Salzet, M. Verger-Bocquet, F. Vandenbulcke and J. Van Minnen (France, The Netherlands)	211
Requirement for cAMP/calcium response element but not AP-1 site in fibroblast growth factor-2-elicited activation of tyrosine hydroxylase gene expression in PC12 cells	
H. Osaka and E.L. Sabban (USA)	222
Biochemical identification and ganglionic localization of leech angiotensin-converting enzymes	
F. Vandenbulcke, V. Laurent, M. Verger-Bocquet, G.B. Stefano and M. Salzet (France, USA)	229
Induction of nitric oxide synthase and interleukin-1 β , but not heme oxygenase, messenger RNA in rat brain following peripheral administration of endotoxin	
R.A. Jacobs, M.A. Satta, P.L.M. Dahia, S.L. Chew and A.B. Grossman (UK)	238
Regulation of neurofilament L, M and H gene expression during retinoic acid-induced neural differentiation of P19 embryonal carcinoma cells	
G.D. Paterno, L.L. Gillespie, J.-P. Julien and D. Skup (Canada)	247
Induction of basic fibroblast growth factor (bFGF) expression following focal cerebral ischemia	
T.N. Lin, J. Te, M. Lee, G.Y. Sun and C.Y. Hsu (Taiwan, ROC, USA)	255
Does phenylethylamine have a role in schizophrenia?: LSD and PCP up-regulate aromatic L-amino acid decarboxylase mRNA levels	
P.R. Buckland, R. Marshall, P. Watkins and P. McGuffin (UK)	266
D1 receptors mediate dopamine action in the fetal suprachiasmatic nuclei: studies of mice with targeted deletion of the D1 dopamine receptor gene	
M. Bender, J. Drago and S.A. Rivkees (USA, Australia)	271
<i>Short communications</i>	
Molecular cloning of rat G-protein-coupled receptor kinase 6 (<i>GRK6</i>) from brain tissue, and its mRNA expression in different brain regions and peripheral tissues	
C. Fehr, M. Fickova, C. Hiemke, S. Reuss and N. Dahmen (Germany)	278
Insulin-like growth factor-I (IGF-I) immunoreactivity in the Alzheimer's disease temporal cortex and hippocampus	
B. Connor, E.J. Beilharz, C. Williams, B. Synek, P.D. Gluckman, R.L.M. Faull and M. Dragunow (New Zealand)	283
β_2 -Adrenoceptors on the glial cells mediate the induction of interleukin-1 β mRNA in the rat brain	
E. Maruta, K. Yabuuchi, A. Nishiyori, S. Takami, M. Minami and M. Satoh (Japan)	291
Fibroblast growth factor-2 expression is up-regulated after denervation in rat lung tissue	
J. Shimada, S. Fushiki, A. Tsujimura and T. Oka (Japan)	295
Multiplex differential display identifies a novel zinc-finger protein repressed during withdrawal from cocaine	
D.J. Ennulat and B.M. Cohen (USA)	299
A marked diurnal rhythm of melatonin ML _{1A} receptor mRNA expression in the suprachiasmatic nucleus	
J.M. Neu and L.P. Niles (Canada)	303
Comparison of VGF and <i>trk</i> mRNA distributions in the developing and adult rat nervous systems	
S.E. Snyder, J. Li and S.R.J. Salton (USA)	307
<i>Author Index</i>	312